	Type	Ref #	Hits	Search Text	DBs
1	BRS	S1	8442	projector and (body or housing or case or casing) and reflector and ((light source) or lamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	S2	295012	(air duct) or (air intake) or (air inlet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	S3	1313	(slideable or slidable) with S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	S4	7392	(moveable or movable) with S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	S5	5319	adjustable with S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	S6	59	(alignable or aligneable) with S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	S7	12993	S3 or S4 or S5 or S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	S8	14	projector and ((body or housing or case or casing) with S7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	S9	5941	362/261,263,294,345,546,547,329,341,373,350.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	S10	2142	313/11,113.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	S11	1973	353/39,57,60,61,63,66,119.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	S12	9845	S9 or S10 or S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	S13	14	S12 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	S14	766	353/119.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	S15	71	353/119.ccls. and duct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
16	BRS	S17	6087	362/261,263,294,345,546,547,329,341,373,350.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	S18	2170	313/11,113.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	S19	2076	353/39,57,60,61,63,66,119.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	S20	10116	S17 or S18 or S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	S21	302473	(air duct) or (air intake) or (air inlet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	S22	1317	(slideable or slidable) with S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	S23	7511	(moveable or movable) with S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	S24	5396	adjustable with S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	S25	59	(alignable or aligneable) with S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	S26	13186	S22 or S23 or S24 or S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	S27	15	projector and ((body or housing or case or casing) with S26)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	S28	0	S17 and projector and ((body or housing or case or casing) with S26)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	S29	403	S17 and projector and (body or housing or case or casing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	S30	62	S17 and projector and (body or housing or case or casing) and duct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	S31	67	S17 and projector and (body or housing or case or casing) and ((air duct) or (air intake) or (air inlet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
31	BRS	S35	0	((light (lamp or device or apparatus)) or (light source (lamp or device or apparatus))) and (concave reflector) and housing and ((clear or transparent or (light transmi$5)) cover) and (slid$5 with (duct or conduit)) and (cooling (air or gas or fluid)).clm.	US-PGPUB

	Type	Hits	Search Text	DBs
1	BRS	5	S1 and fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	1	S1 and fan and duct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	30	reflector same ((hole or aperture) with (light bulb)) same ((hole or aperture) with air)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	1586	reflector same ((hole or aperture) with air)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	764	reflector with ((hole or aperture) with air)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	223	reflector with ((hole or aperture) with air) and fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	183	reflector with ((hole or aperture) with air) and fan and ((lamp or light or (light source) or bulb))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	526921	((hole or aperture or inlet) with air)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	1145	S8 with reflector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	1022580	lamp or ((light source) device) or (light source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	643	S10 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	2	S10 and S9 and "361"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	53	S10 and S9 and "353"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	22	S10 and S9 and "313"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	77	S12 or S13 or S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
16	BRS	65218	lamp and reflector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS	7153505	(hole or vent or open$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	760416	S17 with air	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	4398	S16 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	1616	reflector with S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	871	S20 and lamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	39	S20 and lamp and "313"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	377	S20 and lamp and "362"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	82	S20 and lamp and "353"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	4398	S18 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	152	S25 and lamp and "313"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	1268	S25 and lamp and "362"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	404	S25 and lamp and "353"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	460	S22 or S23 or S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	234	S29 and @ad < "20030225"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
31	BRS	187	S28 and @ad < "20030225"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	149	S31 not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	BRS	689	lamp and housing and reflector and (air with duct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	2704	lamp and housing and (air with duct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	BRS	7153505	(hole or vent or open$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	BRS	760416	S35 with air	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	BRS	1616	S36 with reflector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	110	S34 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	67	S38 and @ad < "20030225"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	BRS	0	projector and (light source) and ((optical modulator) or modulator) and (optic with enlager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	BRS	0	projector and (light source) and ((optical modulator) or modulator) and (optic$4 with enlager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	BRS	0	projector and ((optical modulator) or modulator) and (optic$4 with enlager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	BRS	0	projector and (optical modulator) and (optic$4 with enlager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	BRS	828	projector and (optical modulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	BRS	127	projector and (optical modulator) and housing and lens$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
46	BRS	63	projector and (optical modulator) and housing and lens$4 and fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	BRS	8	projector and (optical modulator) and housing and lens$4 and fan and reflector and (air duct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	BRS	51	projector and (optical modulator) and housing and lens$4 and fan and reflector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	14	S47 and @ad < "20030225"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	BRS	2	S48 and @ad < "20030225"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	BRS	189	projector and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	BRS	94	S51 and @ad < "20030225"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	BRS	7	projector and (optical modulator) and housing and lens$4 and fan and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	BRS	2	S53 and @ad < "20030225"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	BRS	7	projector and (optical modulator) and housing and lens$4 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	BRS	2	S55 and @ad < "20030225"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	BRS	13	projector and (optical modulator) and fan and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	BRS	6	S57 and @ad < "20030225"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	IS&R	1	("6398366").PN.	USPAT
60	BRS	5	("4513358" | "4563067" | "6254238" | "6280038" | "6290360").PN.	US-PGPUB; USPAT; USOCR
61	BRS	13	("6398366").URPN.	USPAT
62	IS&R	1	("6837583").PN.	USPAT

	Type	Hits	Search Text	DBs
63	BRS	5962	362/546,547,261,263,264,294,345,329,341,373,350.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	BRS	1917	353/39,57,63,60,66,61,119.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	BRS	3039	313/11,25,113.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
66	BRS	10660	S63 or S64 or S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
67	BRS	4580	S66 and @ad < "20030225"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	BRS	7153505	(hole or vent or open$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	BRS	760416	S68 with air	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
70	BRS	1616	S69 with reflector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
71	BRS	2704	lamp and housing and (air with duct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
72	BRS	110	S70 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
73	BRS	18	S70 and S71 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	BRS	3260	362/261,263,264,294.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
75	BRS	1405	S74 and @ad < "20030225"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	BRS	87	"18" with S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	BRS	229	313/11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
78	BRS	100	S77 and @ad < "20030225"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
79	BRS	1251	362/261,263.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
80	BRS	58	362/261,263.ccls. and fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
81	BRS	1259	353/57,60,61,58,98.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
82	BRS	175	353/57,60,61,58,98.ccls. and fan and duct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	BRS	15	(fan discharge) same (slid$3 with duct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
84	BRS	62168	air duct	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
85	BRS	2131	(air duct) with (moveable or adjustable or align$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
86	BRS	26	(fan exhaust) same S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	IS&R	1	("0671770").PN.	USPAT
88	IS&R	1	("0681770").PN.	USPAT
89	IS&R	1	("6981770").PN.	USPAT
90	BRS	5	("20030202160" | "20040141155" | "5713652" | "5951136" | "6481855").PN. OR ("6981770").URPN.	US-PGPUB; USPAT; USOCR
91	BRS	4	"6709115"	US-PGPUB; USPAT; USOCR
92	BRS	4	"6709115"	US-PGPUB; USPAT; USOCR
93	IS&R	1	("6709115").PN.	USPAT
94	BRS	6	("4925295" | "5374969" | "5820242" | "5842761").PN. OR ("6709115").URPN.	US-PGPUB; USPAT; USOCR
95	BRS	250	retract$6 with (air duct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
96	BRS	1	(retract$6 with (air duct)) with (fan exhaust)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
97	BRS	2	(retract$6 with (air duct)) same (fan exhaust)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
98	BRS	19	(retract$6 with duct) same (fan exhaust)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
99	BRS	26114	(retractable or movable or slid$4) with (duct or (air duct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
100	BRS	3936	(retractable or movable or slid$4) with (duct or (air duct)) and fan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
101	BRS	442	(retractable or movable or slid$4) with (duct or (air duct)) and (fan exhaust)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
102	BRS	1	(retractable or movable or slid$4) with (duct or (air duct)) and (fan exhaust) and "353"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
103	BRS	20	("4925295" | "5615028" | "5806952" | "5860719" | "5951136" | "6007205" | "6065838" | "6111630" | "6132049" | "6139155").PN. OR ("6481854").URPN.	US-PGPUB; USPAT; USOCR
104	BRS	1	(retractable or movable or slid$4) with (duct or (air duct)) and (fan exhaust) and "353"/57,60,61,98,58,119.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	0	((light (lamp or device or apparatus)) or (light source (lamp or device or apparatus))) and (concave reflector) and housing and ((clear or transparent or (light transmi$5)) cover) and (slid$5 with (duct or conduit)) and (cooling (air or gas or fluid)).clm.	US-PGPUB	2006/08/10 11:25